




THIS IS BALANCE.

There are two key moments in musical practice:

the sound and the pause, and both contribute to the composition of a harmonic balance. Balance, a project of plain coloured surfaces, was born to harmonize decorative elements in composite architectural spaces, defining a moment of suspension, a pause that enhances new expressive forms. Combined together, the soft, relaxing colour palette of cold and warm shades offer a pleasantly calming and welcoming visual sensation.





120x240 CM

1.2 CM THICKNESS

80x240 CM

1.5 CM THICKNESS

With two versatile thickness options – 1.2cm, & 1.5cm – Balance is engineered to meet the demands of any design challenge. Whether you're creating sleek kitchen countertops, stylish bathroom vanities, custom furniture, elegant interior flooring, refined wall cladding, or durable exterior façades, Balance delivers. Its uniform color throughout the entire thickness allows for seamless edge finishes and consistently flawless aesthetics.

120x 240 cm 1.2 cm THICKNESS	80x 240 cm 1.5 cm THICKNESS
--	---

COLOR: **14** | SIZE: **2** | THICKNESS: **2**

ALSO PROJECT FRIENDLY

Largest slabs in 2 thicknesses, for all furniture and construction requirements, both residential and commercial.

BEST SOLUTION FOR EVERY REQUIREMENT
different thicknesses + large sizes.

HIGH-END DETAILS AND FINISHES
Thanks to full body colour.

EASY TO CUT AND MOULD
Compact, homogeneous, reliable.

EFFICIENT LOGISTICS AND INDUSTRIAL
CAPACITY
Large and experienced organization

Balance consists of a soft and lively colour palette, a variety of 14 colours running from colder to warmer shades. The various colours fill any room with a pleasant, relaxing and welcoming visual sensation, offering a bright, luminous personality. The subtle colour ratios can be used to create versatile combinations by mixing and matching different shades.





Surface:

SILKtech 

Pro-active hygienic surface

MAXIMUM HYGIENE, MAXIMUM PROTECTION

More than ever, it is an absolute priority to maintain the spaces where one cooks and lives in utmost cleanliness and hygiene.

SUITABLE FOR FOOD CONTACT

Easy to clean, Non-absorbent, Resistant to detergent, And cleaning agents

THE SAFEST

No particles, formaldehyde, harmful chemicals.

NON POROUS

Does not harbour dirt and bacteria.

Silktech surface will always look and perform as good as on day one, insensitive to weather, footsteps and heavy use.

PERMANENT COLOURS

Enduring surface for Interior/exterior use That is UV and Frost Resistant.

UNAFFECTED BY FOOT TRAFFIC

Even in Crowded Environments 10x iso Testing Value (120.000vs 12.000).

RESISTANT TO CHEMICALS

Acids, Alkalis, Solvents and Smog.

UNAFFECTED BY MOULDS AND FUNGUS

Impermeable and Non-absorbent Surface.



T H E S T R E N G T H O F B A L A N C E

Balance
Balance

LUNA	03
HAZEL	06
TIFFANY	08
BLOSSOM	11
EARTH	13
SAGE	15
TEAL	17
DUNE	19
MIST	21
OLIVE	24
SOMBRA	26
CLARO	28
AZUL	30
NERO	33

INDEX




SEAMLESS DESIGN, UNRIVALED DURABILITY.

The material that best fits this description, often used for sinks, countertops, and even integrated chopping boards due to its ability to be molded and finished flawlessly, is solid surface material.

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



LUNA

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.



THE ENDURING APPEAL OF PLAIN

Elevate your everyday with our versatile table tops, crafted for both style and durability. Perfect for dining, working, or creative projects, they transform any space into a functional and beautiful hub.




No scratch, just the spotless performance!

Let you be the master of your art
and let our surfaces be the perfect canvas for it!
Enjoy a faultless, spotless performance,
thanks to the scratch and stain-resistant feature.
Additionally, there is no need to spend
endless hours maintaining its sheen and radiance,
as this enduring beauty comes with
the promise of easy and low maintenance.

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



HAZZEL

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

WHERE SERENITY MEETS STYLE

This isn't a loud, flashy color, but a soft, serene shade that evokes calm and classic elegance. Its smooth, uniform surface is perfect for showcasing simple, clean lines, allowing the iconic color to speak for itself.



120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



TIFFANY

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.



WHERE EVERY MEAL FEELS LIKE SPRING

This understated color creates an atmosphere of tranquillity and gentle warmth, inviting comfort and calm into your culinary space. It's a shade that whispers elegance, allowing your color and personal touches to truly bloom."

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



BLOSSOM

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

GROUNDING IN COMFORT, BUILT FOR LIFE

This kitchen table, in a warm, unpretentious plain Earth tone, embodies rustic simplicity. Its clean lines and natural hue offer a comforting foundation for everyday meals and gatherings.





Ready to face daily scuffles, happily!

Chopping, cutting or dressing;
now your kitchen countertop will become
canvas for your culinary creativity without
losing its enduring beauty!

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



EARTH

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

BOLD IN COLOR, PURE IN FORM

Crafted for functionality, its smooth, unassuming surface provides ample room for your monitor, keyboard, and accessories, while the clean lines ensure it integrates seamlessly into any decor without overwhelming the space.



120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



SAGE

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

EFFORTLESS ELEGANCE, UNCOMPLICATED STYLE

Its clean lines and unembellished design create a serene and inviting atmosphere, making it a versatile piece that complements a variety of decor styles.



120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



TEAL

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

THE FOUNDATION OF CULINARY SERENITY

Its plain, untextured surface boasts a warm, earthy tone that leans towards a muted, sandy beige with subtle undertones of light grey. This versatile color evokes a sense of natural tranquility and understated luxury, making it an ideal choice for both contemporary and traditional kitchen designs.



120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



DUNE

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.



THE QUIET HUE FOR A BRIGHTER YOU

Mist typically describes a very light, desaturated grey or an off-white with a hint of cool undertone, evoking a sense of calm and airiness.

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



MIST

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

Adorning spaces, adoring nature!

That's how our production facility works!
A state-of-the-art infrastructure that deeply
cares about Mother Nature,
and thus our production processes have
sustainability ingrained in them.



YOUR KITCHEN'S CALMING CANVAS

This isn't a vibrant, in-your-face shade, but rather a muted, sophisticated tone reminiscent of natural foliage or a sun-drenched olive grove. The finish is plain and smooth, without any ornate details or textures, allowing the color itself to be the focal point.

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



OLIVE

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

DESIGNED FOR LIFE, STYLED BY YOU


Its plain surface offers a blank canvas, inviting personal touches through dinnerware, centerpieces, and decorative accents. Made from durable materials, this table is built for everyday use, offering a sturdy and reliable foundation for meals, gatherings, and family activities.



120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



SOMBRA

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.



FRESH PERSPECTIVES, NATURALLY CLEAR

Claro is a beautiful and versatile color, often described as a clear, light, bright white with a slightly warm undertone. It's frequently associated with cleanliness, simplicity, and modernity.

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



CLARO

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.

THE ART OF PLAIN AZUL: ELEGANCE IN SIMPLICITY.


Imagine cabinetry and walls bathed in a rich, solid blue, reminiscent of a calm ocean or a clear sky. This isn't a vibrant, electric blue, but rather a more subdued, deep shade that offers a sense of tranquility and spaciousness.



120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



AZUL

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.



THE ESSENCE OF MODERN KITCHENS.

The deep, rich black surfaces absorb light, creating a sense of depth and luxury. This design choice provides a striking backdrop for culinary creativity, allowing food and vibrant decor to pop.



Heat resistance

Hot vessels and utensils can be safely placed on the surface. The burners can be integrated into the kitchen countertop, with an exclusive and elegant design.


Safe, Hygienic and Durable

On the Pastelli kitchen countertop, food can be prepared with maximum hygiene and safety.

120x240 cm | 1.2cm Thickness | 48"x96"

80x240 cm | 1.5cm Thickness | 32"x96"

Bàlance
Bàlance



NERO

Balance offers the ideal thickness and format for all types of façade fixing. It ensures perfect coordination and color combinations with flooring and interior furnishings.


We Care for Environment

Energy Management Systems




-40%

CHP vapour recovery with 40% savings in methane gas



-50%

100% LED lighting. 50% annual power savings



100%

Efficient methane gas cogeneration plant



100%

Heat recovery from furnaces and cooling water

Resource Conservation



100%

100% recycled industrial water and 27% reduction in water consumption over the last 3 years



100%

100% recyclable packaging materials



100%


100% recycled raw and cooked waste



99%


99% waste sent to recovery

Environment Health



-60%

Automated Vertical Warehouse: 60% reduction in CO₂



0%

0% lead, cadmium, and other carcinogenic substances in products



100%

Continuously operating purification and filtration systems



100%


RTO system to reduce harmful emissions and odours

Instructions for Manual Installation


SINGLE LAYER METHOD



DOUBLE-LAYER METHOD





COMPRESSING THE TILE



Important

All cutout corners must have a minimum diameter of 1/4". Never leave 90° angles. We recommend radiuses of more than 1/4" when the kitchen the design allows as it makes the countertop firmer.



Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specifications

	Regularity Characteristics:	Length and width $\pm 0,3$ (*)
		Thickness ± 5 (**)
		Straightness of sides $\pm 0,3$ (***)
		Rectangularity (Measurement only on short edges when $L/l \geq 3$)
		Surface flatness c.c. $\pm 0,4$ / e.c. $\pm 0,4$ / w. $\pm 0,4$
	Structural Characteristics:	Water absorption $E_v \leq 0,5\%$ Individual max 0,6%
	Bulk Mechanical Characteristics:	Breaking strength ≥ 1300 N for thickness $\geq 7,5$ mm
		Modulus of rupture $R \geq 35$ N/mm ²
		Impact resistance, as coefficient of restitution
	Surface Mechanical Characteristics:	Resistance to deep abrasion of unglazed tiles ≤ 175 mm ³ (Suitable for Conforme)
	Thermal and Hygrometric Characteristics:	Coefficient of thermal linear expansion ≤ 7 MKI
		Thermal shock resistance
		Moisture expansion (in mm/m) $\leq 0,01\%$ (0,1 mm/m) $\leq 0,01$
		Frost resistance
	Physical Properties:	Bond strength/adhesion for improved cementitious adhesives $\geq 1,0$ N/mm ² (Class C2 - EN 12004)
		Reaction to fire
	Chemical Characteristics:	Resistance to household chemicals and swimming pool salts
		Resistance to low concentrations of acids and alkalis
		Resistance to high concentrations of acids and alkalis
		Release of dangerous substances: Cadmium (in mg/dm ²) and Lead $\leq 0,01$ mg/dm ² Cd $\leq 0,1$ mg/dm ² Pb
	Safety Characteristics:	Shod Ramp Test
		Barefoot Ramp Test
		Coefficient of Friction (COF)

Packing Details

SIZE	THICKNESS	PCS / BOX	WEIGHT (Approx)	COVERAGE AREA	
120x240cm	1.2 cm	1	84 Kgs.	2.88 Sq. Mt.	31.00 Sq.Ft.
80x240cm	1.5 cm	1	68 Kgs.	1.92 Sq. Mt.	20.67 Sq.Ft.

